

ONSITE+

Step Tip Reduced
Shank Drill Bit

THE LATEST **ONSITE TECHNOLOGY**

Unique
Patented
STEP TIP

**NON-SLIP
SHANK**


Alpha
NO DOUBT




ONSITE+

Step Tip Reduced Shank Drill Bit



The Onsite+ Step Tip Reduced Shank Drill Bit is perfect for metalworkers, fabricators or anyone using a power drill or drill press. These bits are an Australian first, designed to drill hundreds of holes in half the time.

With the revolutionary step tip design, this drill bit effortlessly glides through materials, greatly reducing user fatigue and cutting down drilling time.



Case Study

A time-saving comparison

We recently teamed up with fabricators, Scott and Monique from Barry's Metalworks, to compare a regular market-standard reduced shank drill bits to ours.

Often faced with gruelling and lengthy tasks that require a lot of support, this one in particular required drilling 21mm holes at each end of 150 pieces of 50x50x5mm square hollow section steel – a massive total of 600 holes; a lot of holes, and even more time!

“My wife, Monique, is the drill press operator, and she will sing from the hilltops if you can reduce her time spent drilling.

Scott
Barry's Metalworks


The standard reduced shank drill bit took 1 minute and 20 seconds to drill one hole. Multiply that across all 600 holes, and you're looking at an average of 13 hours and 20 minutes. Time that doesn't take into account for user fatigue, drill wear, or burnout, which would further increase the drill period.

With our Onsite+ Step Tip Reduced Shank Drill Bit, one hole took 30 seconds—a 50 second time difference. That brings the job down to an average of 5 hours for all 600 holes, cutting it to just over half a day of work!




TIME SAVINGS = 8 HOURS

Competitor Reduced Shank Drill Bit



Onsite+ Step Tip Reduced Shank Drill Bit



ONSITE+

Step Tip Reduced Shank Drill Bit

DISCOVER THE RANGE:



14.0mm

CODE: 9LMST140R



14.5mm

CODE: 9LMST145R



15.0mm

CODE: 9LMST150R



15.5mm

CODE: 9LMST155R



16.0mm

CODE: 9LMST160R



16.5mm

CODE: 9LMST165R



17.0mm

CODE: 9LMST170R



17.5mm

CODE: 9LMST175R



18.0mm

CODE: 9LMST180R



19.0mm

CODE: 9LMST190R



20.0mm

CODE: 9LMST200R



21.0mm

CODE: 9LMST210R



22.0mm

CODE: 9LMST220R



25.0mm

CODE: 9LMST250R

Alpha

ONSITE+ × TUFFBOX PRO



Step Tip Reduced Shank
Drill Bit Tuffbox | 6 PCE

Sizes: 14.0, 15.0, 16.0,
18.0, 19.0 & 20.0mm

CODE: SM6STRTP-B

BEFORE USE

SCAN QR CODE TO SEE FULL
BEST PRACTICE GUIDELINES



<p>LOW SPEED</p> <p>Refer to RECOMMENDED RPM CHART and enter suitable speed into pedestal drill screen continuously apply lubricant as the lever is pulled down to drill</p>	<p>MED PRESSURE</p> <p>Pull lever with care using MEDIUM PRESSURE as you drill through material, applying lubricant continuously</p>	<p>LOW SPEED</p> <p>Pull lever back up slowly once hole is complete and move material to next drill point, repeat</p>
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------

©COPYRIGHT SHEFFIELD GROUP 2025. No part of this publication may be copied, scanned or reproduced in whole or part in any form without written permission from Sheffield Group. E&OE.

Alpha

T 02 4957 8787 F 02 4957 3737

111 Munibung Road Boolaroo 2284

E hello@alphatools.com.au

PO Box 687 Cardiff 2285 NSW Australia



@alphatoolsaus

POWERED BY **Sheffield GROUP**

alphatools.com.au